

CONSOLIDATED DECEMBER 4, 1995
CONSOLIDATION FOR CONVENIENCE PURPOSES OF BYLAWS NO. 2056, 2365, 2417

DISTRICT OF CAMPBELL RIVER

PROVINCE OF BRITISH COLUMBIA

BYLAW NO. 2056

WHEREAS, pursuant to Section 692 of the Local Government Act subject to the Health Act, Council may, by Bylaw, regulate persons, their premises and their activities to further the care, protection, promotion and preservation of the health of the inhabitants of the Municipality;

AND WHEREAS Council recognizes the danger of Fetal Alcohol Syndrome and Fetal Alcohol Effects;

AND WHEREAS education and information has proven to be an efficient way to reduce the incidence of Fetal Alcohol Syndrome;

AND WHEREAS Council wishes to place suitable warning signs where Alcohol is consumed or sold.

NOW THEREFORE the Council of the District of Campbell River, in open meeting assembled, enacts as follows:

1. In this Bylaw unless the context otherwise requires:
 - (a) "Licensed Establishment" means any establishment licenced under the provisions of the Liquor Control and Licensing Act, and includes restaurants;
 - (b) "Proprietor" means the person who ultimately controls, governs or directs the activities carried on within the kinds of premises referred to in this Bylaw and includes the person actually in charge thereof.
2. The proprietor of every Licenced Establishment shall ensure that sign or signs warning of Fetal Alcohol Syndrome shall be installed and maintained as prescribed in Section 3 hereof.
3. Signs warning of Fetal Alcohol Syndrome shall meet the following minimum requirements:
 - (a) For any licensed premises which is permitted to sell alcohol beverages for off-premises consumption, there shall be at least one sign located so it is clearly visible from all locations where the sale or dispensing of the alcoholic beverage takes place.
 - (b) For a licensed premise which permits the consumption of alcoholic beverages on the premises, there shall be one sign, conspicuously displayed in each public washroom located within the premise.
 - (c) Each sign required hereunder shall have a minimum dimension of 21.5 cm (8 1/2 in) by 21.5 cm (8 1/2 in).
 - (d) Lettering on the sign shall be in bold print, white on a red background, and shall be a minimum of 1 cm (3/8 in) in height.
 - (e) The wording on the sign shall be as follows:

**"PREGNANT?
CONSUMING ALCOHOLIC BEVERAGES DURING PREGNANCY
CAN CAUSE BIRTH DEFECTS"**

**District of Campbell River Fetal Alcohol Syndrome
Warning Sign Bylaw No. 2056, 1992 - Page 2.**

- (f) Signs shall be substantially in the form and style as that set out in Schedule 'A' to Bylaw No. 2056 attached to and forming part of this Bylaw.
4. Except as otherwise provided in this Bylaw, any person who violates any provision of this Bylaw or who suffers or permits any act or thing to be done in contravention of the Bylaw, or who refuses, or omits or neglects to fulfill, observe, carry-out or perform any duty or obligation imposed by this Bylaw shall be liable on summary conviction to a fine not exceeding Two Thousand Dollars (\$2,000.00) and not less than the amount set out with respect to each section in Schedule 'B' attached to and forming part of this Bylaw. For each day that a violation is permitted to exist, it shall constitute a separate offence.
5. This Bylaw may be cited for all purposes as "District of Campbell River Fetal Alcohol Syndrome Warning Sign Bylaw No. 2056, 1992".

Read a first time on the 20th day of July, 1992.

Read a second time on the 20th day of July, 1992.

Read a third time on the 20th day of July, 1992.

Reconsidered, finally passed and adopted on the 28th day of July, 1992.

Approved by the Minister of Health on the 15th day of October, 1992.

original signed by

MARY ASHLEY
Mayor

W.T. HALSTEAD
Clerk

SCHEDULE 'A'

Sign in RED

WARNING

**Drinking Distilled
Spirits, Beer, Coolers,
Wine and Other
Alcoholic Beverages
During Pregnancy
Can Cause
Birth Defects**

BYLAW NO. 2056

DISTRICT OF CAMPBELL RIVER

(Fetal Alcohol Syndrome Warning Sign Amendment Bylaw No. 2417, 1995)

SCHEDULE 'B'

<u>Offence</u>	<u>Section</u>	<u>Fine</u>
• Signs not installed/maintained	2	\$50.00
• Signs do not meet requirements	3(a) - (f)	\$50.00